



CWP05 Series

WALL PACKS

Rugged Performance and Reliable Illumination

CWP05 WALL PACKS



KEY FEATURES

Power Selectable

20W / 30W / 40W
30W / 40W / 60W
40W / 60W / 80W
80W / 100W / 120W

3CCT Selectable

3000K / 4000K / 5000K

120-347V Universal Driver

with 0-10V dimming

Optional Wire Guard and Visor

sold separately

Borosilicate Glass Lens

Built-in Photocell

unplug to bypass

Motion Sensor Compatible

sold separately



ROBUST VERSATILITY

Ideal for any outdoor general purpose outdoor lighting applications where you need extra illumination. Easy installation and maintenance with colour temperature and voltage options.



LONG-LASTING PERFORMANCE

Complete with a borosilicate glass lens, the CWP05 Wall Packs offer unmatched durability that withstands thermal expansion and chemical damage, ensuring long-lasting performance even in harsh environments.



FLEXIBLE PERFORMANCE

Boasting a built-in Photocell, Universal Driver, and Motion Sensor compatibility, this series offers improved flexibility and control over preferred lighting output. CWP05 Wall Packs are IP65 Rated.



CWP05 WALL PACKS

The same look and feel as the CWP04 wall packs but now with power and colour selectable options! Perfect for all outdoor lighting applications where you need extra illumination.



Fixtures	Wattage	CCT	Voltage	Lumens	Finish
CWP05-40W-3P-3CCT-UD	20W / 30W / 40W	3000K / 4000K / 5000K	120-347V	3054-6280 lm	Bronze
CWP05-60W-3P-3CCT-UD	30W / 40W / 60W	3000K / 4000K / 5000K	120-347V	4926-8819 lm	Bronze
CWP05-80W-3P-3CCT-UD	45W / 60W / 80W	3000K / 4000K / 5000K	120-347V	7027-12077 lm	Bronze
CWP05-120W-3P-3CCT-UD	80W / 100W / 120W	3000K / 4000K / 5000K	120-347V	12097-17966 lm	Bronze

ACCESSORIES

Accessories to meet your projects every need (sold separately).



Motion Sensor
HB01DMS-C



Remote Control
MS04-RC



Wire Guard
CWP05-WG



Visor
CWP05-VISOR



For information on the complete series including IES files, spec sheets, and more, visit www.csc-led.com

NORTH ENTRANCE

45
Manderson Drive

35



Check out our
YouTube channel for
more information on
our products!

Lumen Output Tables

and Product Numbers

CWP05-40W-3P-3CCT-UD

	3000K	4000K	5000K
20W	3054 lm	3170 lm	3244 lm
30W	4433 lm	4646 lm	4713 lm
40W	5967 lm	6280 lm	5994 lm

CWP05-60W-3P-3CCT-UD

	3000K	4000K	5000K
30W	4926 lm	5117 lm	5229 lm
40W	6143 lm	6433 lm	6542 lm
60W	8349 lm	8819 lm	8641 lm

CWP05-80W-3P-3CCT-UD

	3000K	4000K	5000K
45W	7027 lm	7324 lm	7460 lm
60W	9027 lm	9496 lm	9606 lm
80W	11386 lm	12077 lm	11584 lm

CWP05-120W-3P-3CCT-UD

	3000K	4000K	5000K
80W	12097 lm	12581 lm	12177 lm
100W	14771 lm	15831 lm	15486 lm
120W	17193 lm	17966 lm	17508 lm



Shown with
CWP05-WG



Shown with
CWP05-VISOR



Shown with CWP05-WG
& CWP05-VISOR





BC BRANCH

1140-2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730-0448

AB BRANCH

13-2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907-0212

ON HEAD OFFICE

8-540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880-9833