



CWPS Series

SLIM CLASSIC WALL PACKS

A Modern Take on a Classic Style

CWPS SLIM CLASSIC WALL PACKS



KEY FEATURES

3 Power Settings per Luminaire

20W / 30W / 40W
40W / 60W / 80W
80W / 100W / 120W

3CCT Selectable

3000K / 4000K / 5000K

120-347V Universal Driver

with 0-10V dimming

Wet Location Rated

IP65

Built-in Photocell

unplug to by-pass

Large Footprint for Easy Retrofitting

Borosilicate Glass Lens

Resists Thermal Expansion,
Stress, & is Chemical Resistant
will never yellow



CONTEMPORARY SLIM BODY

This slim wall pack retains all the features that you appreciate in a traditional contractor wall pack, but its slim and contemporary body offers a modern twist on a classic lighting style.



DURABLE LARGE FOOTPRINT

Highly durable and easy to install with a lens that resists thermal expansion and chemical damage. Designed with a large footprint to seamlessly retrofit classic wall packs, eliminating the need for repainting!

EASY UNIVERSAL DRIVER

You can easily select your desired power and colour output using a sliding switch, which makes the process quick and hassle-free, ensuring that CWPS Wall Packs can meet the unique demands of your projects.




CWPS SLIM CLASSIC WALL PACKS

This budget friendly, slim fixture is the perfect choice for a wide range of outdoor lighting applications. Its large footprint easily replaces old legacy wall packs. It's durable, easy to install, and designed with a modern twist, offering reliable illumination without compromising on style or functionality.




Fixtures	Wattage	CCT	Voltage	Lumens	Finish
CWPS-40W-3P-3CCT-UD	20W / 30W / 40W	3000K / 4000K / 5000K	120-347V	2986-5501 lm	Bronze
CWPS-80W-3P-3CCT-UD	40W / 60W / 80W	3000K / 4000K / 5000K	120-347V	5480-10942 lm	Bronze
CWPS-120W-3P-3CCT-UD	80W / 100W / 120W	3000K / 4000K / 5000K	120-347V	10670-16420 lm	Bronze

CWPS-40W-3P-3CCT-UD
CWPS-80W-3P-3CCT-UD



CWPS-120W-3P-3CCT-UD



For information on the complete series including IES files, spec sheets, and more, visit www.csc-led.com



Check out our
YouTube channel for
more information on
our products!

Lumen Output Tables

and Product Numbers

CWPS-40W-3P-3CCT-UD

	3000K	4000K	5000K
20W	2986 lm	2991 lm	3090 lm
30W	4275 lm	4333 lm	4395 lm
40W	5270 lm	5501 lm	5409 lm

CWPS-80W-3P-3CCT-UD

	3000K	4000K	5000K
40W	5480 lm	5650 lm	5831 lm
60W	9797 lm	8321 lm	8459 lm
80W	10321 lm	10942 lm	10605 lm

CWPS-120W-3P-3CCT-UD

	3000K	4000K	5000K
80W	10670 lm	11027 lm	11255 lm
100W	13588 lm	13866 lm	13944 lm
120W	15571 lm	16420 lm	16186 lm



CWPS-40W-3P-3CCT-UD

20W / 30W / 40W | 3CCT | 120-347V
2986-5501 lm



CWPS-80W-3P-3CCT-UD

40W / 60W / 80W | 3CCT | 120-347V
5480-10942 lm



CWPS-120W-3P-3CCT-UD

80W / 100W / 120W | 3CCT | 120-347V
10670-16420 lm



CWPS-WG-SM
(40W and 80W)



CWPS-WG-LG
(120W)



BC BRANCH

1140-2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730-0448

AB BRANCH

13-2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907-0212

ON HEAD OFFICE

8-540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880-9833